Supplementary information S1:

Studies used in data collation:

- 1. Dunna, N.R., et al., Association of Thymidylate Synthase 5'-UTR 28bp Tandem Repeat and Serine Hydroxymethyltransfarase C1420T Polymorphisms with Susceptibility to Acute Leukemia. Asian Pacific Journal of Cancer Prevention, 2014. **15**(4): p. 1719-1723.
- 2. Coppede, F., et al., *Polymorphisms in folate-metabolizing genes, chromosome damage, and risk of Down syndrome in Italian women: identification of key factors using artificial neural networks.* BMC Med Genomics, 2010. **3**: p. 42.
- 3. Coppede, F., et al., *Folate, homocysteine, vitamin B12, and polymorphisms of genes* participating in one-carbon metabolism in late-onset Alzheimer's disease patients and healthy controls. Antioxid Redox Signal, 2012. **17**(2): p. 195-204.
- 4. Aneiros-Guerrero, A., et al., *Genetic polymorphisms in folate pathway enzymes, DRD4 and GSTM1 are related to temporomandibular disorder*. BMC Med Genet, 2011. **12**: p. 75.
- 5. Bolufer, P., et al., *The potential effect of gender in combination with common genetic polymorphisms of drug-metabolizing enzymes on the risk of developing acute leukemia.* Haematologica, 2007. **92**(3): p. 308-314.
- 6. Graziano, F., et al., *Association of thymidylate synthase polymorphisms with gastric cancer susceptibility.* Int J Cancer, 2004. **112**(6): p. 1010-4.
- 7. Petra, B.G., J. Janez, and D. Vita, *Gene-gene interactions in the folate metabolic pathway influence the risk for acute lymphoblastic leukemia in children*. Leuk Lymphoma, 2007. **48**(4): p. 786-92.
- Klotz, L., et al., *The variant methylenetetrahydrofolate reductase c.1298A>C (p.E429A) is* associated with multiple sclerosis in a German case-control study. Neurosci Lett, 2010. 468(3): p. 183-5.
- Schiepers, O.J., et al., *Genetic variation in folate metabolism is not associated with cognitive functioning or mood in healthy adults.* Prog Neuropsychopharmacol Biol Psychiatry, 2011. 35(7): p. 1682-8.
- 10. Lightfoot, T.J., et al., *Risk of Non–Hodgkin Lymphoma Associated with Polymorphisms in Folate-Metabolizing Genes.* Cancer Epidemiology Biomarkers & Prevention, 2005. **14**(12): p. 2999-3003.
- 11. Nordgard, S.H., et al., *Pathway based analysis of SNPs with relevance to 5-FU therapy: relation to intratumoral mRNA expression and survival.* Int J Cancer, 2008. **123**(3): p. 577-85.
- Abrahamsen, B., et al., A common methylenetetrahydrofolate reductase (C677T) polymorphism is associated with low bone mineral density and increased fracture incidence after menopause: longitudinal data from the Danish osteoporosis prevention study. J Bone Miner Res, 2003.
 18(4): p. 723-9.
- 13. Agueda, L., et al., *Analysis of three functional polymorphisms in relation to osteoporosis phenotypes: replication in a Spanish cohort.* Calcif Tissue Int, 2010. **87**(1): p. 14-24.
- 14. Angelini, S., et al., *Folate-related polymorphisms in gastrointestinal stromal tumours: susceptibility and correlation with tumour characteristics and clinical outcome.* Eur J Hum Genet, 2015. **23**(6): p. 817-23.
- 15. Baroudi, O., et al., *Thymidylate synthase polymorphism in sporadic colorectal and gastric cancer in Tunisian population: a predictive role in 5-fluorouracil based chemotherapy treatment*. Med Oncol, 2014. **31**(2): p. 825.

- 16. Berglund, M., et al., *Folate-metabolizing genes in lymphoma patients from Sweden*. Scand J Immunol, 2009. **70**(4): p. 408-10.
- 17. Cabo, R., et al., Effects of polymorphisms in endothelial nitric oxide synthase and folate metabolizing genes on the concentration of serum nitrate, folate, and plasma total homocysteine after folic acid supplementation: a double-blind crossover study. Nutrition, 2015. 31(2): p. 337-44.
- 18. Dean, J.C., et al., A high frequency of the MTHFR 677C>T polymorphism in Scottish women with epilepsy: possible role in pathogenesis. Seizure, 2008. **17**(3): p. 269-75.
- 19. Ergul, E., et al., *Polymorphisms in the MTHFR Gene Are Associated with Breast Cancer*. Tumor Biology, 2003. **24**(6): p. 286-290.
- 20. Eskandari-Nasab, E., et al., *Evaluation of UDP-glucuronosyltransferase 2B17 (UGT2B17) and dihydrofolate reductase (DHFR) genes deletion and the expression level of NGX6 mRNA in breast cancer.* Mol Biol Rep, 2012. **39**(12): p. 10531-9.
- 21. Golbahar, J., et al., Association of plasma folate, plasma total homocysteine, but not methylenetetrahydrofolate reductase C667T polymorphism, with bone mineral density in postmenopausal Iranian women: a cross-sectional study. Bone, 2004. **35**(3): p. 760-5.
- 22. Heil, S.G., et al., *Is mutated serine hydroxymethyltransferase (SHMT) involved in the etiology of neural tube defects?* Mol Genet Metab, 2001. **73**(2): p. 164-72.
- 23. Jennings, B.A., et al., *Genetic selection? A study of individual variation in the enzymes of folate metabolism.* BMC Med Genet, 2010. **11**: p. 18.
- 24. Kirke, P.N., et al., *Impact of the MTHFR C677T polymorphism on risk of neural tube defects: case-control study.* BMJ, 2004. **328**(7455): p. 1535-6.
- 25. Koc, Y.L. and N. Akar, *Single nucleotide polymorphisms that affect homocysteine levels in Turkish population*. Clin Appl Thromb Hemost, 2009. **15**(6): p. 701-4.
- 26. Komlosi, V., et al., *SHMT1 1420 and MTHFR 677 variants are associated with rectal but not colon cancer*. BMC Cancer, 2010. **10**: p. 525.
- Kristensen, M., et al., Variants in the Dihydropyrimidine Dehydrogenase, Methylenetetrahydrofolate Reductase and Thymidylate Synthase Genes Predict Early Toxicity of 5-Fluorouracil in Colorectal Cancer Patients. Journal of International Medical Research, 2010. 38(3): p. 870-883.
- 28. Kumudini, N., et al., Association of seven functional polymorphisms of one-carbon metabolic pathway with total plasma homocysteine levels and susceptibility to Parkinson's disease among South Indians. Neurosci Lett, 2014. **568**: p. 1-5.
- 29. Kurzwelly, D., et al., *Genetic variants of folate and methionine metabolism and PCNSL incidence in a German patient population.* J Neurooncol, 2010. **100**(2): p. 187-92.
- Lissowska, J., et al., Genetic polymorphisms in the one-carbon metabolism pathway and breast cancer risk: a population-based case-control study and meta-analyses. Int J Cancer, 2007. 120(12): p. 2696-703.
- 31. Macdonald, H.M., et al., *Methylenetetrahydrofolate reductase polymorphism interacts with riboflavin intake to influence bone mineral density*. Bone, 2004. **35**(4): p. 957-64.
- 32. Moore, L.E., et al., *Polymorphisms in one-carbon metabolism and trans-sulfuration pathway genes and susceptibility to bladder cancer*. Int J Cancer, 2007. **120**(11): p. 2452-8.
- 33. Naushad, S.M., et al., *Epistatic interactions between loci of one-carbon metabolism modulate susceptibility to breast cancer*. Mol Biol Rep, 2011. **38**(8): p. 4893-901.
- Nazki, F.H., et al., *Thymidylate synthase enhancer region polymorphism not related to susceptibility to acute lymphoblastic leukemia in the Kashmir population*. Genet Mol Res, 2012. 11(2): p. 906-17.

- 35. Niclot, S., et al., *Implication of the folate-methionine metabolism pathways in susceptibility to follicular lymphomas.* Blood, 2006. **108**(1): p. 278-85.
- Nissen, N., et al., No association between hip geometry and four common polymorphisms associated with fracture: the Danish osteoporosis prevention study. Calcif Tissue Int, 2009. 84(4): p. 276-85.
- Pandey, S.K., et al., Association of Methylene Tetrahydrofolate Reductase Polymorphism with BMD and Homocysteine in Premenopausal North Indian Women. J Clin Diagn Res, 2013.
 7(12): p. 2908-11.
- 38. Parle-McDermott, A., et al., *Analysis of the MTHFR 1298A-->C and 677C-->T polymorphisms as risk factors for neural tube defects.* J Hum Genet, 2003. **48**(4): p. 190-3.
- 39. Parle-McDermott, A., et al., *The 19-bp deletion polymorphism in intron-1 of dihydrofolate reductase (DHFR) may decrease rather than increase risk for spina bifida in the Irish population.* Am J Med Genet A, 2007. **143A**(11): p. 1174-80.
- 40. Patino-Garcia, A., et al., *Methotrexate in pediatric osteosarcoma: response and toxicity in relation to genetic polymorphisms and dihydrofolate reductase and reduced folate carrier 1 expression.* J Pediatr, 2009. **154**(5): p. 688-93.
- 41. Rafighdoost, F., et al., *The 19-bp deletion polymorphism of dihydrofolate reductase (DHFR) and nonsyndromic cleft lip with or without cleft palate: evidence for a protective role.* J Appl Oral Sci, 2015. **23**(3): p. 272-8.
- 42. Rahimi, Z., et al., *Thymidylate synthase and methionine synthase polymorphisms are not associated with susceptibility to childhood acute lymphoblastic leukemia in Kurdish population from Western Iran.* Mol Biol Rep, 2012. **39**(3): p. 2195-200.
- 43. Relton, C.L., et al., *Gene-gene interaction in folate-related genes and risk of neural tube defects in a UK population.* J Med Genet, 2004. **41**(4): p. 256-60.
- 44. Sharp, L., et al., *Folate and breast cancer: the role of polymorphisms in methylenetetrahydrofolate reductase (MTHFR).* Cancer Lett, 2002. **181**(1): p. 65-71.
- 45. Skibola, C.F., et al., *Polymorphisms in the thymidylate synthase and serine hydroxymethyltransferase genes and risk of adult acute lymphocytic leukemia.* Blood, 2002. **99**(10): p. 3786-91.
- 46. Tetik Vardarli, A., et al., *An Association Study Between Gene Polymorphisms of Folic Acid Metabolism Enzymes and Biochemical and Hormonal Parameters in Acromegaly.* Genet Test Mol Biomarkers, 2015. **19**(8): p. 431-8.
- 47. van den Donk, M., et al., *Dietary intake of B-vitamins, polymorphisms in thymidylate synthase and serine hydroxymethyltransferase 1, and colorectal adenoma risk: a Dutch case-control study.* Cancer Lett, 2007. **250**(1): p. 146-53.
- 48. van der Linden, I.J., et al., *Variation and expression of dihydrofolate reductase (DHFR) in relation to spina bifida.* Mol Genet Metab, 2007. **91**(1): p. 98-103.
- 49. Villadsen, M.M., et al., *Methylenetetrahydrofolate reductase (MTHFR) C677T polymorphism is associated with osteoporotic vertebral fractures, but is a weak predictor of BMD.* Osteoporos Int, 2005. **16**(4): p. 411-6.
- 50. Weiner, A.S., et al., *Polymorphisms in folate-metabolizing genes and risk of idiopathic male infertility: a study on a Russian population and a meta-analysis.* Fertil Steril, 2014. **101**(1): p. 87-94 e3.
- 51. Yazdanpanah, N., et al., Low dietary riboflavin but not folate predicts increased fracture risk in postmenopausal women homozygous for the MTHFR 677 T allele. J Bone Miner Res, 2008.
 23(1): p. 86-94.